#### SAFETY DATA SHEET

Trade name: PRE-ELEC PS 19660

Date: 30.3.2023

Former date: -

# The safety data sheet is in accordance with Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

.1	ION 1:IDENTIFICATION OF THE SUBSTANCE/MIXTUF Product identifier				
	Trade name				
	PRE-ELEC PS 19660				
	Company product code				
	PS19660				
	Reach registration number				
	Product definition				
	Mixture containing carbon black.				
	Also covers the nanoform of carbon black. In the proc	duct, carbon black is bound in the base polymer.			
1.2	Relevant identified uses of the substance or mix	ture and uses advised against			
	The uses of the chemical				
	Production of electrostatic conductive products. Mair				
	Classification of economic activities (NACE)	C20.16			
	Main intended use	PC-TEC-16 Polymer preparations and compounds			
	Industrial use	Yes			
	Professional use	Yes			
	Consumer use	No			
1.3	Details of the supplier of the safety data sheet Manufacturer, importer, other undertaking PREMIX OY				
	Street address	Muovitie 4			
	Postcode and post office	FIN-05200 Rajamäki			
	Post-office box	P.O.Box 12			
	Postcode and post office	FIN-05201 Rajamäki			
	Telephone number	+358 9 878 041			
	Telefax	+358 9 878 04400			
	Web page	www.premixgroup.com			
	Finnish Business ID (Y code)	FI32443519			
1.4	Emergency telephone number				
	Emergency telephone number (Europe): 112 Other countries: check local emergency number				
	Poison Information centre (Finland) open 24 h daily: · P.O. Box 790 (Tukholmankatu 17), 00029 HUS	+358 800 147 111 or +358 9 471 977			
SECTI	ION 2: HAZARDS IDENTIFICATION				
2.1	Classification of the substance or mixture	CLD regulation (ELL 1979/2008)			
	Not classified as a hazardous mixture according the (	JEF TEGUIAIIOTI (EU 1272/2008).			
2.2	Label elements				
	No labeling. In accordance with current regulations, this product has not been classified as hazardous.				

Page 1

Date: 30.3.2023

Former date: -

## 2.3 Other hazards

Carbon black in particulate form (dust) is listed as a possible carcinogen to humans (group 2B) by the International Agency for Research on Cancer (IARC). In the product, carbon black is bound in the base polymer and exposure to dust containing carbon black can be ruled out in normal use. The product does not contain any known or suspected endocrine disruptors. PBT/vPvB assessment: see point 12.5.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures			
CAS/EC number and the registration number	Name of the ingredient	Concentration	Classification
CAS 1333-86-4 EC 215-609-9	Carbon black	20 – 50 %	Not classified, national occupational exposure limit value

Carbon black is in nanoform. In the product, carbon black is bound in the base polymer.

#### **SECTION 4: FIRST AID MEASURES**

#### 4.1 Description of first aid measures

# General

If the situation is unclear or symptoms persist, seek medical attention.

# Inhalation

If symptoms occur, move the exposed person to fresh air and keep under observation. Get medical attention if symptoms persist or are severe.

## Skin contact

Rinse with water. In case of skin contact with molten plastic, cool the skin rapidly with water. Do not attempt to remove plastic glued to burnt skin without medical assistance.

#### Eye contact

Immediately flush eyes with plenty of water. Carefully remove any particles remaining under the eyelids. Seek medical attention if eye irritation persists.

#### Ingestion

Do not induce vomiting. Rinse the mouth with water and give 1–2 glasses of water to drink. Get medical advice/attention if exposed person feels unwell.

- 4.2 Most important symptoms and effects, both acute and delayed
  - Skin contact with molten plastic causes thermal burns.
- **4.3** Indication of any immediate medical attention and special treatment needed Treat symptomatically.

#### **SECTION 5: FIREFIGHTING MEASURES**

# 5.1 Extinguishing media

- Water spray, foam, carbon dioxide (CO<sub>2</sub>)
- 5.2 Special hazards arising from the substance or mixture
- Oxides of carbon and hydrocarbon fragments.
- 5.3 Advice for firefighters Wear appropriate protective equipment and self-contained breathing apparatus.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures No special precautions needed.
  6.2 Environmental precautions
- Do not let the granules contaminate sewers, waters or soil.

#### 6.3 Methods and material for containment and cleaning up

Sweep up the spill and place in suitable container for use or disposal.

# 6.4 Reference to other sections

See section 7 for safe handling.

See section 8 for personal protective equipment.

See section 13 for waste disposal.

Date: 30.3.2023

Trade name: PRE-ELEC PS 19660

Former date: -

SECT	ION 7: HANDLING	AND STORAGE			
7.1	<b>Precautions for safe handling</b> Handle in accordance with good industrial hygiene and safety practices. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash hands before breaks and at the end of workday. Wash contaminated clothes before reuse.				
7.2	Conditions for	safe storage, including ar			
7.3	Store in a dry place. <b>Specific end use(s)</b> None reported.				
SECT	ION 8: EXPOSURE	CONTROLS/PERSONAL I	PROTECTION		
8.1	Control parameters				
	National occupational exposure limit values				
	Carbon black	CAS No.: 1333-86-4	Limit value (long-term exposure)		
			3.5 mg/m3 (8 h) Country of origin: United Kingdom		
			3.5 mg/m3 (8 h) Country of origin: Finland		
			Limit value (short-term exposure)		
			7 mg/m3 (15 min) Country of origin: United Kingdom		
			7 mg/m3 (15 min) Country of origin: Finland		
	Other limit valu	les			
	N/A DNEL				
	N/A				
	PNEC				
	N/A				
.2	Exposure cont	rols			
	Appropriate engineering controls				
	Provide adequate ventilation, use local exhaust ventilation if necessary.				
	Eye/face protection Wear suitable protective goggles if there is a risk of eye contact.				
	Skin protection				
	Normal work clo				
	Hand protectio	<b>n</b> protective gloves when har	adling the product		
	Respiratory pro	otection			
	-	•	s to below exposure limit values by ventilation, use an		
	appropriate resp Thermal hazard				
			ear appropriate heat resistant protective clothing and gloves		
	Environmental	exposure controls			
	Do not let the gr	anules contaminate sewers	, waters or soil.		

## SAFETY DATA SHEET

Trade name: PRE-ELEC PS 19660

Date: 30.3.2023

Former date: -

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES	
1 Information on basic physical and chemical pro	operties
Appearance	solid, granule
Odour	characteristic odour
Odour threshold	Not applicable.
рН	Not applicable
Melting point/freezing point	Melting range 140–170 °C
Initial boiling point and boiling range	Not applicable
Flash point	> 350 °C
Evaporation rate	Not applicable
Flammability (solid, gas)	Not flammable.
Upper/lower flammability or explosive limits	Not applicable
Vapour pressure	Not applicable
Vapour density	Not applicable
Particle characteristics	Carbon black
	Comments: In the product, carbon black is bound in plastic and risk of exposure to carbon black as dust can be ruled out in normal use.
Relative density	1.1 - 1.3 g/cm3
Solubility(ies)	Insoluble in water
Partition coefficient: n-octanol/water	Not applicable
Auto-ignition temperature	Not determined
Decomposition temperature	Not determined
Viscosity	Not applicable
Explosive properties	Not classified as explosive.
Oxidising properties	Not classified as oxidising.

9.2 Other information None.

# SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity
	Not reactive under normal use and storage conditions.
10.2	Chemical stability
	Stable under normal storage and handling conditions.
10.3	Possibility of hazardous reactions
	No known dangerous reactions under normal use and storage conditions.
10.4	Conditions to avoid
	Heat.
	Do not allow product to remain in barrel at elevated temperatures for extended period of time.
10.5	Incompatible materials
	No known incompatible materials.
10.6	Hazardous decomposition products
	Oxides of hydrocarbon fragments.

Trade name: PRE-ELEC PS 19660

Date: 30.3.2023

Former date: -

# **SECTION 11: TOXICOLOGICAL INFORMATION**

#### 11.1 Information on toxicological effects

## Acute toxicity

The product is not classified as acute toxic. There is no toxicity data available for the product as such.

Carbon black: LD50 (oral, rat): > 8000 mg/kg.

In the compound, the carbon black is bound in the base polymer.

#### Skin corrosion/irritation

The product is not classified as corrosive/irritant.

#### Serious eye damage/irritation

The product is not classified as corrosive/irritant.

#### Respiratory or skin sensitisation

The product is not classified as a sensitiser.

#### Germ cell mutagenicity

The product is not classified as mutagenic.

#### Carcinogenicity

The product is not classified as carcinogenic.

Carbon black is listed as a possible carcinogen to humans (group 2B) by the International Agency for Research on Cancer (IARC), but is not listed as a carcinogen by U.S. National Toxicity Program (NTP) or U.S. Occupational Safety and Health Administration (OSHA).

# **Reproductive toxicity**

The product is not classified as a reproductive toxicant.

#### STOT-single exposure

The product is not classified as toxic to specific target organs through single exposure.

#### STOT-repeated exposure

The product is not classified as toxic to specific target organs through prolonged or repeated exposure.

#### Aspiration hazard

The product is not classified as hazardous with aspiration.

#### 11.2 Other information

#### **Endocrine disruption**

The product does not contain any known or suspected endocrine disruptors

## **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1 Toxicity

The product is not classified as hazardous for environment. There is no ecotoxicity data available for the product as such.

Carbon black: fish: LC50 (96 h) > 100 mg/L (Brachydanio rerio, OECD 203) water flea: EC50 (24 h) > 5600 mg/L (Daphnia magna, OECD 202) algae: EC50 (72 h) > 10.000 mg/L (Scenedesmus subspicatus). In the compound, the carbon black is bound in the base polymer.

#### 12.2 Persistence and degradability

Not biodegradable.

#### 12.3 **Bioaccumulative potential**

#### Not bioaccumulative. 12.4

# Mobility in soil

Trade name: PRE-ELEC PS 19660

Date: 30.3.2023

Former date: -

Insoluble in water.

#### 12.5 Results of PBT and vPvB assessment

Chemical safety assessment has not been performed for the product, no information available about inaredients.

#### 12.6 Endocrine disrupting properties

The product does not contain any known or suspected endocrine disruptors.

12.7 Other adverse effects None reported.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### 13.1 Waste treatment methods

The product is not considered hazardous waste.

Reuse or recycle if possible. Dispose of according to national and local regulations.

## **SECTION 14: TRANSPORT INFORMATION**

#### 14.1 **UN number** The product is not classified for transportation. 14.2 UN proper shipping name N/A 14.3 Transport hazard class(es) N/A 14.4 Packing group N/A 14.5 **Environmental hazards**

- none 14.6 Special precautions for user

#### none

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A

#### **SECTION 15: REGULATORY INFORMATION**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No specific regulations.
- 15.2 Chemical safety assessment Chemical safety assessment has not been performed for the product, no information available about ingredients.

## **SECTION 16: OTHER INFORMATION**

#### Changes to the previous version

13.10.2022: Update according to Annex II of the REACH Regulation ([EU] 2020/878).

#### **Glossary of abbreviations**

**DNEL: Derived No-Effect Level** EC50: Effective concentration 50% LC50: Lethal concentration 50% LD50: Lethal dose 50% PNEC: Predicted No-Effect Concentration

#### References

Previous version of the SDS 21.3.2022. Decree on Concentrations known to be Hazardous 654/2020 (HTP-arvot 2020), Finland. EH40/2005 Workplace exposure limits (4th ed, 2020).

## Procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

List of relevant hazard and precautionary statements

## SAFETY DATA SHEET

Date: 30.3.2023

-

-

Trade name: PRE-ELEC PS 19660

Former date: -

Training appropriate for workers Read safety data sheet.

Other information