Trade name: PRE-ELEC PP 18920

Date: 24.11.2023

Former date: -

INFORMATION FORM FOR CHEMICALS DATA

# The safety data sheet is in accordance with Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTI	ON 1: IDENTIFICATION OF THE SUBSTANCE/MIXTUR	RE AND OF THE COMPANY/UNDERTAKING	
1.1	Product identifier		
	Trade name PRE-ELEC PP 18920		
	<b>Company product code</b> PP18920		
	Reach registration number		
	<b>Product definition</b> Mixture containing carbon black. Also covers the nanoform of carbon black. In the proc		
1.2	Relevant identified uses of the substance or mixe	ure and uses advised against	
	The uses of the chemical Production of electrostatic conductive products		
	Classification of economic activities (NACE)	C20.16	
	Main intended use	PC-TEC-16 Polymer preparations and compounds	
	Industrial use	Yes	
	Professional use	Yes	
	Consumer use	No	
1.3	Details of the supplier of the safety data sheet Manufacturer, importer, other undertaking	PREMIX OY	
	Street address	Muovitie 4	
	Postcode and post office	FIN-05200 Rajamäki	
	Post-office box	P.O.Box 12	
	Postcode and post office	FIN-05201 Rajamäki	
	Telephone number	+358 9 878 041	
	Telefax	+358 9 878 04400	
	Web page	www.premixgroup.com	
	Finnish Business ID (Y code)	FI32443519	
1.4	<b>Emergency telephone number</b> Emergency telephone number (Europe): 112 Other countries: check local emergency number		
	Poison Information centre (Finland) open 24 h daily: - P.O. Box 790 (Tukholmankatu 17), 00029 HUS	⊦358 800 147 111 or +358 9 471 977	
SECTI	ON 2: HAZARDS IDENTIFICATION		
2.1	Classification of the substance or mixture Not classified as a hazardous mixture according the (	CLP regulation (EU 1272/2008).	

# 2.2 Label elements

No labeling. In accordance with current regulations, this product has not been classified as hazardous.

Date: 24.11.2023

Former date: -

INFORMATION FORM FOR CHEMICALS DATA

# 2.3 Other hazards

Carbon black in particulate form (dust) is listed as a possible carcinogen to humans (group 2B) by the International Agency for Research on Cancer (IARC). In the product, carbon black is bound in the base polymer and exposure to dust containing carbon black can be ruled out in normal use. The product does not contain any known or suspected endocrine disruptors. PBT/vPvB assessment: see point 12.5.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS				
3.2 Mixtures				
CAS/EC number and the registration number	Name of the ingredient	Concentration	Classification	
CAS 1333-86-4 EC 215-609-9	Carbon black	20 – 40 %	Not classified, national occupational exposure limit value	

Carbon black is in nanoform. In the product, carbon black is bound in the base polymer.

# **SECTION 4: FIRST AID MEASURES**

# 4.1 Description of first aid measures

#### General

If the situation is unclear or symptoms persist, seek medical attention.

# Inhalation

If symptoms occur, move the exposed person to fresh air and keep under observation. Get medical attention if symptoms persist or are severe.

# Skin contact

Rinse with water. In case of skin contact with molten plastic, cool the skin rapidly with water. Do not attempt to remove plastic glued to burnt skin without medical assistance.

#### Eye contact

Immediately flush eyes with plenty of water. Carefully remove any particles remaining under the eyelids. Seek medical attention if eye irritation persists.

# Ingestion

Do not induce vomiting. Rinse the mouth with water and give 1–2 glasses of water to drink. Get medical advice/attention if exposed person feels unwell.

#### **4.2 Most important symptoms and effects, both acute and delayed** Skin contact with molten plastic causes thermal burns.

# **4.3** Indication of any immediate medical attention and special treatment needed Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

# 5.1 Extinguishing media

- Water spray, foam, carbon dioxide (CO<sub>2</sub>)
- 5.2 Special hazards arising from the substance or mixture
- Oxides of carbon and hydrocarbon fragments.
- 5.3 Advice for firefighters Wear appropriate protective equipment and self-contained breathing apparatus.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 **Personal precautions, protective equipment and emergency procedures** No special precautions needed.
- 6.2 Environmental precautions
- Do not let the granules contaminate sewers, waters or soil.
- 6.3 Methods and material for containment and cleaning up
- Sweep up the spill and place in suitable container for use or disposal.

# 6.4 Reference to other sections

See section 7 for safe handling.

See section 8 for personal protective equipment.

See section 13 for waste disposal.

Date: 24.11.2023

Former date: -

Trade name: PRE-ELEC PP 18920

INFORMATION FORM FOR CHEMICALS DATA

7.1	<b>Precautions for safe handling</b> Handle in accordance with good industrial hygiene and safety practices. Eating, drinking and sm should be prohibited in areas where this material is handled, stored and processed. Wash hands breaks and at the end of workday. Wash contaminated clothes before reuse.				
7.2	Conditions for safe storage, including any incompatibilities				
7.3	Store in a dry place. <b>Specific end use(s)</b>				
	None reported.				
SECT	ION 8: EXPOSURE C	ONTROLS/PERSONAL F	PROTECTION		
8.1	Control parameters				
	National occupational exposure limit values				
	Carbon black	CAS No.: 1333-86-4	Limit value (long-term exposure)		
			3.5 mg/m3 (8 h) Country of origin: United Kingdom		
			3.5 mg/m3 (8 h) Country of origin: Finland		
			Limit value (short-term exposure)		
			7 mg/m3 (15 min) Country of origin: United Kingdom		
			7 mg/m3 (15 min) Country of origin: Finland		
	Other limit value	S			
	N/A DNEL				
	N/A				
	PNEC				
	N/A				
8.2	Exposure contro				

Provide adequate ventilation, use local exhaust ventilation if necessary. **Eye/face protection** Wear suitable protective goggles if there is a risk of eye contact. **Skin protection** Normal work clothing. **Hand protection** Use appropriate protective gloves when handling the product. **Respiratory protection** If it is not possible to reduce exposure levels to below exposure limit values by ventilation, use an appropriate respirator. **Thermal hazards** Molten plastic may cause thermal burns. Wear appropriate heat resistant protective clothing and gloves if needed. **Environmental exposure controls** Do not let the granules contaminate sewers, waters or soil.

Date: 24.11.2023

Former date: -

Trade name: PRE-ELEC PP 18920

INFORMATION FORM FOR CHEMICALS DATA

ECTION 9: PHYSICAL AND CHEMICAL PROPERTIES 1 Information on basic physical and chemical properties				
Appearance	solid, granule			
Odour	characteristic odour			
Odour threshold	Not applicable.			
рН	Not applicable			
Melting point/freezing point	Melting range 140-170 °C			
Initial boiling point and boiling range	Not applicable			
Flash point	> 350 °C			
Evaporation rate	Not applicable			
Flammability (solid, gas)	Not flammable.			
Upper/lower flammability or explosive limits	s Not applicable			
Vapour pressure	Not applicable			
Vapour density	Not applicable			
Particle characteristics	Carbon black: Nanoform			
	Comments: In the product, carbon black is bound in plastic and risk of exposure to carbon black as dust can be ruled out in normal use.			
Relative density	1.06 g/cm3			
Solubility(ies)	Insoluble in water			
Partition coefficient: n-octanol/water	Not applicable			
Auto-ignition temperature	Not determined			
Decomposition temperature	Not determined			
Viscosity	Not applicable			
Explosive properties	Not classified as explosive.			
Oxidising properties	Not classified as oxidising.			

9.2 Other information

None.

# SECTION 10: STABILITY AND REACTIVITY

10.1	Reactivity
	Not reactive under normal use and storage conditions.
10.2	Chemical stability
	Stable under normal storage and handling conditions.
10.3	Possibility of hazardous reactions
	No known dangerous reactions under normal use and storage conditions.
10.4	Conditions to avoid
	Heat.
	Do not allow product to remain in barrel at elevated temperatures for extended period of time.
10.5	Incompatible materials
	No known incompatible materials.
10.6	Hazardous decomposition products
	Oxides of hydrocarbon fragments.

Date: 24.11.2023

Former date: -

INFORMATION FORM FOR CHEMICALS DATA

# SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1 Information on toxicological effects

# Acute toxicity

The product is not classified as acute toxic. There is no toxicity data available for the product as such.

Carbon black: LD50 (oral, rat): > 8000 mg/kg.

In the compound, the carbon black is bound in the base polymer.

# Skin corrosion/irritation

The product is not classified as corrosive/irritant.

# Serious eye damage/irritation

The product is not classified as corrosive/irritant.

# Respiratory or skin sensitisation

The product is not classified as a sensitiser.

# Germ cell mutagenicity

The product is not classified as mutagenic.

# Carcinogenicity

The product is not classified as carcinogenic.

Carbon black is listed as a possible carcinogen to humans (group 2B) by the International Agency for Research on Cancer (IARC), but is not listed as a carcinogen by U.S. National Toxicity Program (NTP) or U.S. Occupational Safety and Health Administration (OSHA).

# **Reproductive toxicity**

The product is not classified as a reproductive toxicant.

# STOT-single exposure

The product is not classified as toxic to specific target organs through single exposure.

# STOT-repeated exposure

The product is not classified as toxic to specific target organs through prolonged or repeated exposure.

# Aspiration hazard

The product is not classified as hazardous with aspiration.

# 11.2 Other information

# Endocrine disruption

The product does not contain any known or suspected endocrine disruptors

# **SECTION 12: ECOLOGICAL INFORMATION**

# 12.1 Toxicity

The product is not classified as hazardous for environment. There is no ecotoxicity data available for the product as such.

Carbon black:

fish: LC50 (96 h) > 100 mg/L (Brachydanio rerio, OECD 203) water flea: EC50 (24 h) > 5600 mg/L (Daphnia magna, OECD 202) algae: EC50 (72 h) > 10.000 mg/L (Scenedesmus subspicatus). In the compound, the carbon black is bound in the base polymer.

# 12.2 Persistence and degradability

# Not biodegradable.

# 12.3 Bioaccumulative potential

Date: 24.11.2023

Former date: -

INFORMATION FORM FOR CHEMICALS DATA

	Not bioaccumulative.
12.4	Mobility in soil
12.7	Insoluble in water.
12.5	Results of PBT and vPvB assessment
	Chemical safety assessment has not been performed for the product, no information available about
	ingredients.
12.6	Endocrine disrupting properties
	The product does not contain any known or suspected endocrine disruptors.
12.7	Other adverse effects
	None reported.
SECTI	ON 13: DISPOSAL CONSIDERATIONS
13.1	Waste treatment methods
	The product is not considered hazardous waste.
	Reuse or recycle if possible. Dispose of according to national and local regulations.
SECTI	ON 14: TRANSPORT INFORMATION
14.1	<b>UN number</b> The product is not classified for transportation.
14.2	UN proper shipping name
17.2	N/A
14.3	Transport hazard class(es)
	N/A
14.4	Packing group
	N/A
14.5	Environmental hazards
	none
14.6	Special precautions for user
4 4 7	none Transport in bulk according to Annov II of MARDOL 72/78 and the IRC Code
14.7	Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code N/A
	ON 15: REGULATORY INFORMATION
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixtur
15.2	No specific regulations. Chemical safety assessment
13.2	Chemical safety assessment has not been performed for the product, no information available about
	ingredients.
SECTI	ON 16: OTHER INFORMATION
	Changes to the previous version 13.10.2022: Update according to Annex II of the REACH Regulation ([EU] 2020/878).
	13. 10.2022. Opticle according to Annex II of the REACH Regulation ([EO] 2020/07/8).
	Glossary of abbreviations
	DNEL: Derived No-Effect Level
	EC50: Effective concentration 50%
	LC50: Lethal concentration 50%
	LD50: Lethal dose 50%
	PNEC: Predicted No-Effect Concentration
	References
	Previous version of the SDS 21.3 2022

Previous version of the SDS 21.3.2022. Decree on Concentrations known to be Hazardous 654/2020 (HTP-arvot 2020), Finland. EH40/2005 Workplace exposure limits (4th ed, 2020).

Procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]

Date: 24.11.2023

-

-

Former date: -

Trade name: PRE-ELEC PP 18920

INFORMATION FORM FOR CHEMICALS DATA

List of relevant hazard and precautionary statements

Training appropriate for workers Read safety data sheet.

Other information

-